



University of the Basque Country System for NIST 2010 Speaker Recognition Evaluation

M. Penagarikano, A. Varona, M. Diez. L.J. Rodriguez-Fuentes, G. Bordel

GTTS, Department of Electricity and Electronics
University of the Basque Country, Spain
e-mail:mikel.penagarikano@ehu.es



Partitioning of the previous SRE databases

spkrs	SRE04	SRE05	SRE06	SRE08	FU08
SRE04	310	0	0	0	0
SRE05	0	525	348	0	0
SRE06	0	348	949	112	0
SRE08	0	0	112	1336	150
FU08	0	0	0	150	150

signals	Female	Male	Total
UBM	2804	2119	4923
CHC	4586	3531	8117
IMP	2780	2094	4874
TNorm	1479	960	2439
ZNorm	1403	1146	2549

- Universal Background Models (UBM)
- Channel Compensation (CHC)
- SVM Impostors (IMP)
- Z-Norm score normalization (SN-ZNorm)
- T-Norm score normalization (SN-TNorm)
- Development set

signals	FU08
CHC	4208
Tnorm	1993
ZNorm	2087

signals	SRE08	SRE08*	devA	devB
train	3263	3149	1621	1528
test	6377	6211	3306	2905

(*) 112 speakers from SER06 were removed



The EHU Speaker Recognition System

Preprocessing

- Qualcomm-ICSI-OGI noise reduction (Wiener Filter)
- Interviewer attenuation

Feature Extraction

- 13MFCC, CMS, FW, $\Delta+\Delta\Delta$
- Sautrela Toolkit

UBM

- Gender dependent
- 1024 components
- Sautrela Toolkit

GMM-SVM & LE-GMM

- SUNSDV-SREo8 recipe
- Eigenchannels: 20+20+40
- Sautrela Toolkit + SVMTorch

GLDS-SVM

$$\hat{f}_t = f_t - \sum_k \frac{\gamma_k(t)}{n_k} \Sigma_k^{\frac{1}{2}} c_k^x$$

- Feature domain CC from Suff-Stat
- Sautrela Toolkit + SVMTorch

JFA


- BUT Matlab JFA recipe
- 200 eigenvoices
- 100 eigenchannels

ZT normalization

- Channel type condition: 1MIC, 0MIC, 2MIC
- Channel & gender dependent ZT

Fusion & Calibration

- Side info conditional fusion & calibration (channel type + gender)
- Hard accept/reject decisions by Bayes threshold of 6,907
- FoCal Toolkit



```
grep -f train.regexp *.${gender}.vector > train.${gender}.vector
grep -f test.regexp *.${gender}.vector > test.${gender}.vector
```





```
grep -f train.regexp *.train.${gender}.vector > train.${gender}.vector
grep -f test.regexp *.test.${gender}.vector > test.${gender}.vector
```

	Original		Debugged	
	Min Cost	EER	Min Cost	EER
01	1	49,68	0,5439	2,93
02	1	47,82	0,8061	6,65
03	1	28,72	0,4683	4,23
04	1	27,94	0,6931	5,28
05	1	37,01	0,7270	4,38
06	0,7936	6,93	0,7936	6,93
07	0,7270	8,64	0,7270	8,64
08	0,3675	2,01	0,3675	2,01
09	0,4251	2,76	0,4251	2,76



Results Analysis (core-core, cond-03 ... our best)





	Act Cost	Min Cost	EER
GMM-SVM	0,8843*	0,4732	4,96
LE-GMM	0,8984*	0,4537	4,90
GLDS-SVM	0,9859*	0,6747	7,10
JFA	1*	0,9982	17,76
Fusion	0,5353	0,4683	4,23

(*) uncalibrated scores



Results Analysis (core-core, cond-01 ... not so good)









	Act Cost	Min Cost	EER
GMM-SVM	1,2498*	0,5423	3,53
LE-GMM	1,0675*	0,5890	3,63
GLDS-SVM	1,0981*	0,7594	5,34
JFA	0,9969*	0,9709	14,73
Fusion	29,401	0,5439	2,93

(*) uncalibrated scores









DET curves, core-core, conditions 01-03





DET curves, core-core, conditions 04-06





DET curves, core-core, conditions 07-09

